



Libra Systems

manufacturers of cold rolled sections

Unit E, Halesfield 10, Telford, Shropshire TF7 4QP England

T: 01952 581 150 F: 01952 585 147

E: enquiries@librasystemsuk.com

www.librasystemsuk.com

Libra Ceiling Grid COSHH Report.

Manufacturer.

**Libra Systems (Phoenix) Limited
Unit E Halesfield 10
Telford
Shropshire
TF7 4QP**

Product.

Libra Rigidlock Suspended Ceiling Systems.

Composition.

A combination of Cold Rollformed Hot Dipped Galvanised Steel, Polyester Painted Steel and Polyester Painted Aluminium components.

Product Use.

As a support for various suspended ceiling infill panels.

Handling and Storage.

The product should be kept dry at all times and stored in a dry environment.

Relevant References:-

The Manual Handling Operations Regulations 1992 for guidance.

Hazards.

When used for the normal purpose for which they are designed the products are not present health risks or hazards. The products are non-toxic and non-flammable.

When the products are subject to drilling, cutting, welding, brazing or sanding the inhalation of dust and fumes should be avoided by the use of appropriate respiratory protection.

Relevant References:-

EH 40 Occupational Exposure Limits 2002

EH 44 Dust in the Workplace; General Principles of Protection 1997.

Rolling Oils may be present on the product therefore a suitable barrier cream should be used and close attention paid to personal hygiene.

To prevent lacerations of skin either by sharp edges or corners on profiles, or during release or handling of pallet banding, suitable gloves and protective clothing should be worn in accordance with "The Personal Protective Equipment Regulations 1992".

Suitable eye protection should be worn in accordance with "The Personal Protective Equipment Regulations 1992" when using power tools or when releasing pallet banding.

Metal Products are good electrical conductors and precautions should be taken to prevent contact with live power sources.

Emergency Procedures.

- **Eye Contact.**
Irrigate eyes with clean water. If symptoms persist, seek medical attention.
- **Skin Contact.**
Wash skin in and around the affected area with clean water and recommended skin cleaner, taking care to remove any loose foreign bodies. If after thoroughly drying symptoms persist, seek medical attention.

Waste Disposal.

Waste material should be treated as commercial scrap and suitably disposed.